



UNITED STATES PATENT AND TRADEMARK OFFICE

W.M.
UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/995,051	11/27/2001	Jean-Luc Martin	34149	9712
116	7590	12/03/2003		EXAMINER
PEARNE & GORDON LLP 1801 EAST 9TH STREET SUITE 1200 CLEVELAND, OH 44114-3108			MONBLEAU, DAVIENNE N	
			ART UNIT	PAPER NUMBER
			2878	

DATE MAILED: 12/03/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.	Applicant(s)	
09/995,051	MARTIN ET AL.	
Examiner	Art Unit	
Davienne Monbleau	2878	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 2 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1) Responsive to communication(s) filed on _____.

2a) This action is **FINAL**. 2b) This action is non-final.

3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4) Claim(s) 1-19 is/are pending in the application.

4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5) Claim(s) 1-5, 9-11, 14 and 17-19 is/are allowed.

6) Claim(s) _____ is/are rejected.

7) Claim(s) 6-8, 12, 13, 15 and 16 is/are objected to.

8) Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9) The specification is objected to by the Examiner.

10) The drawing(s) filed on 11/27/01 is/are: a) accepted or b) objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. §§ 119 and 120

12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) All b) Some * c) None of:
1. Certified copies of the priority documents have been received.
2. Certified copies of the priority documents have been received in Application No. _____.
3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

13) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.
a) The translation of the foreign language provisional application has been received.

14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.

Attachment(s)

1) Notice of References Cited (PTO-892)

2) Notice of Draftsperson's Patent Drawing Review (PTO-948)

3) Information Disclosure Statement(s) (PTO-1449) Paper No(s) 2/11/02.

4) Interview Summary (PTO-413) Paper No(s) _____.
5) Notice of Informal Patent Application (PTO-152)
6) Other: _____

Information Disclosure Statement

The IDS filed on 2/11/02 has been acknowledged and a signed copy of the PTO-1449 is attached herein.

Claim Objections

Claims 6-8, 12, 13, 15 and 16 are objected to under 37 CFR 1.75(c) as being in improper form because a multiple dependent claims 6, 8, 12 and 15. See MPEP § 608.01(n). Accordingly, the claims have not been further treated on the merits.

Allowable Subject Matter

Claims 1-5, 9-11, 14 and 17-19 are allowed.

The following is an examiner's statement of reasons for allowance:

Regarding Claims 1-5, 9-11 and 14, the cited prior art of record does not teach or fairly suggest a device for generating an image from an IR radiation comprising, along with the other claimed features, an electric signal compensation module comprising a first branch making it possible to carry out a first thresholding intended to extract from said electric signal a first constant value signal due to the polarization of the heat detectors and at least one second branch making it possible to carry out a second thresholding intended to extract from the electric signal resulting from the first thresholding at least one second low-level signal due to the dispersion of the electric resistances of the heat detectors and/or to the fluctuations in the temperature of the focal plane of the detection module.

Regarding Claims 17-19, the cited prior art of record does not teach or fairly suggest a process for correcting an electric signal representing an IR radiation detected by a heat detector having a specific electric resistance comprising, along with the other claimed features, a first

stage allowing a first polarization signal having a constant value to be extracted from the electric signal and a second stage consisting in extracting from the electric signal a second signal, of low level relative to the first signal.

The advantages of these features are in the specification on pages 1-6.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure: US 4,882,491; US 4,336,452; US 6,515,285; US 6,616,928; and US 6,080,988.

This application is in condition for allowance except for the following formal matters:

1. The abstract of the disclosure is objected to because it is two paragraphs. Correction is required. See MPEP § 608.01(b).
2. Examiner suggests including the section headings in the specification.
3. Figures 1 and 2 should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g). A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.
4. The objected claims (6-8, 12, 13, 15 and 16) need to be amended or canceled to correct the improper multiple dependent claim problem. (See Claim Objection above).

Prosecution on the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

A shortened statutory period for reply to this action is set to expire **TWO MONTHS** from the mailing date of this letter.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Davienne Monbleau whose telephone number is 703-306-5803. The examiner can normally be reached on Mon-Fri 9:00 am to 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dave Porta can be reached on 703-308-4852. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0956.

Davienne Monbleau

DNM



DAVID PORTA
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2800